# Your Guide to Understanding Genetic Conditions

# KRT6B gene

keratin 6B

#### **Normal Function**

The *KRT6B* gene provides instructions for making a protein called keratin 6b or K6b. Keratins are a group of tough, fibrous proteins that form the structural framework of certain cells, particularly cells that make up the skin, hair, and nails. Keratin 6b is produced in the nails, the hair follicles, and the skin on the palms of the hands and soles of the feet. It is also found in the skin's sebaceous glands, which produce an oily substance called sebum.

Keratin 6b partners with a similar protein, keratin 17, to form molecules called keratin intermediate filaments. These filaments assemble into dense networks that provide strength and resilience to the skin, nails, and other tissues. Networks of keratin intermediate filaments protect these tissues from being damaged by friction and other everyday physical stresses. Keratin 6b is also among several keratins involved in wound healing.

# **Health Conditions Related to Genetic Changes**

# pachyonychia congenita


At least four mutations in the *KRT6B* gene have been identified in people with pachyonychia congenita, a rare condition that primarily affects the nails and skin. In most cases, this condition becomes apparent within the first few months of life. These mutations either change single protein building blocks (amino acids) in keratin 6b or delete a small number of amino acids from the protein.

The *KRT6B* gene mutations responsible for pachyonychia congenita change the structure of keratin 6b, preventing it from interacting effectively with keratin 17 and interfering with the assembly of the keratin intermediate filament network. Without this network, skin cells become fragile and are easily damaged, making the skin less resistant to friction and minor trauma. Even normal activities such as walking can cause skin cells to break down, resulting in the formation of painful blisters and calluses. In the sebaceous glands, abnormal keratin filaments lead to the development of sebum-filled cysts called steatocystomas. Defective keratin 6b also disrupts the growth and function of other tissues, such as the hair follicles and nails, which explains why the signs and symptoms of pachyonychia congenita can also affect these other parts of the body.

## **Chromosomal Location**

Cytogenetic Location: 12q13.13, which is the long (q) arm of chromosome 12 at position 13.13

Molecular Location: base pairs 52,446,651 to 52,452,126 on chromosome 12 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

#### Other Names for This Gene

- CK 6B
- CK6B
- cytokeratin-6B
- cytokeratin 6B
- K2C6B\_HUMAN
- K6B
- K6b keratin
- keratin 6B, type II
- keratin, epidermal, type II, K6B
- keratin, type II cytoskeletal 6B
- KRTL1

## Additional Information & Resources

# **Educational Resources**

- Molecular Biology of the Cell (fourth edition, 2002): Keratin Filaments in Epithelial Cells (image) https://www.ncbi.nlm.nih.gov/books/NBK26862/figure/A2988/
- The Cell: A Molecular Approach (second edition, 2000): Intermediate Filaments https://www.ncbi.nlm.nih.gov/books/NBK9834/

#### **GeneReviews**

 Pachyonychia Congenita https://www.ncbi.nlm.nih.gov/books/NBK1280

# Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28KRT6B%5BTIAB%5D%29+OR+%28keratin+6B%5BTIAB%5D%29+OR+%28cytokeratin+6B%5BTIAB%5D%29+OR+%28K6B%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D

#### **OMIM**

 KERATIN 6B, TYPE II http://omim.org/entry/148042

#### Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology http://atlasgeneticsoncology.org/Genes/GC\_KRT6B.html
- ClinVar https://www.ncbi.nlm.nih.gov/clinvar?term=KRT6B%5Bgene%5D
- HGNC Gene Family: Keratins, type II http://www.genenames.org/cgi-bin/genefamilies/set/609
- HGNC Gene Symbol Report http://www.genenames.org/cgi-bin/gene\_symbol\_report?q=data/ hgnc\_data.php&hgnc\_id=6444
- NCBI Gene https://www.ncbi.nlm.nih.gov/gene/3854
- UniProt http://www.uniprot.org/uniprot/P04259

# **Sources for This Summary**

- McLean WH, Hansen CD, Eliason MJ, Smith FJ. The phenotypic and molecular genetic features of pachyonychia congenita. J Invest Dermatol. 2011 May;131(5):1015-7. doi: 10.1038/jid.2011.59. Epub 2011 Mar 24. Review.
  - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/21430705
- Sharma VM, Stein SL. A novel mutation in K6b in pachyonychia congenita type 2. J Invest Dermatol. 2007 Aug;127(8):2060-2. Epub 2007 Apr 12.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17429440

- Smith FJ, Jonkman MF, van Goor H, Coleman CM, Covello SP, Uitto J, McLean WH. A mutation in human keratin K6b produces a phenocopy of the K17 disorder pachyonychia congenita type 2. Hum Mol Genet. 1998 Jul;7(7):1143-8.
  - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/9618173
- Wilson NJ, O'Toole EA, Milstone LM, Hansen CD, Shepherd AA, Al-Asadi E, Schwartz ME, McLean WH, Sprecher E, Smith FJ. The molecular genetic analysis of the expanding pachyonychia congenita case collection. Br J Dermatol. 2014 Aug;171(2):343-55. doi: 10.1111/bjd.12958. Epub 2014 Aug 6.

Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/24611874
Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4282083/

# Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/gene/KRT6B

Reviewed: December 2015 Published: March 21, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services